








bathsense

3p asianpaints


Bathrooms that understand you



Asian Paints Bathsense.

Built to make the bathroom your home's most stunning statement.

Founded in 1942, Asian Paints is amongst Asia's largest paint companies. The group is proud to introduce you to its newest foray into the bath fittings industry. Asian Paints Bathsense is built on extraordinary design, powered by flawless functionality and is driven by reliable customer service. Created with the philosophy that the bathroom is the most important part of a home, Asian Paints Bathsense is crafted to create a stunning statement based on efficient functionality.








A bath experience that is as unique as the home you live in.

When the bathroom is the most significant element of the home, why can't it also be the most beautiful? Asian Paints Bathsense offers much more than spectacular bathroom products; it creates a bath experience that's perfectly suited to your home. From stunning finishes, to abundant flow and ergonomic designs; Bathsense fits every requirement and aesthetic. When you choose our products, you are guaranteed state-of-the-art quality, unmatched functionality and life-long performance; signature values that have become synonymous with Asian Paints; all beautifully used to create a signature bathroom statement that resonates with your home for years.







CONTENTS

HANDS-FREE PRODUCTS	1
AUTO CLOSE TAPS	3
GOLD RUSH	4
MANHATTAN	8
TWIST	10
SPRING BOARD	12
ELLIPSE	14
BALENA	16
MYSTIC	18
COLOSSUS	20
ALTIUS	24
INVICTUS	28
SPRY	32
PROTON	36
DEON	40
PRIMUS	42
CROMA	44
SHOWERS	48
CONCEALED BODIES	54
SANITARYWARE COLLECTIONS	56
TABLE TOP BASINS	60
WALL HUNG BASINS	62
ACCESSORIES	64
GUIDELINES	75
NOTES	7.7





Hands-free solutions from Asian Paints Bath Division comply with all safety and hygiene standards and are here to put you on the path to a comfortable, safer, more healthier life.



Royale RESF101

Royale Sensor Basin Tap

Features

AC + DC

Low voltage alarm

Shock resistant

Anti-interference

Auto cut-off

1 years warranty

Battery life cycle: 30000 cycles

Sensing distance: 0 - 6 inches



Royale RESF103

Royale Sensor Basin Tap

Features

AC + DC

Low voltage alarm

Shock resistant

Anti-interference

Auto cut-off

1 years warranty

Battery life cycle: 30000 cycles

Sensing distance: 0 - 6 inches



Bathsense BSSF102

Sensor Faucet-Table Mounted

Features

DC only

Low voltage alarm

Shock resistant

Anti-interference

Auto cut-off

2 years warranty

Battery life cycle: 60000 cycles

Working temperature: 0° C - 50° C

Sensing distance: 0 - 8 inches

HANDS-FREE PRODUCTS



Bathsense BSSF104

Sensor Faucet - Table Mounted

Features

DC only

Low voltage alarm

Shock resistant

Anti-interference

Auto cut-off

2 years warranty

Battery life cycle: 60000 cycles Working temperature: 0° C - 50° C

Sensing distance: 0 - 8 inches



Bathsense BSSE101

Smart Sensor Aerator

Features

Dual Sensors

1 year warranty

Battery life cycle: One Full

Charge

lasts 6 months



FK-01-TFSensor Flushing Kit

AUTO CLOSE TAPS



ATC-01 Auto close pillar cock



ATC-02 Auto close bib cock



ATC-03 Urinal button flusher 1/2 inch





GRBM101Single lever basin mixer
without pop-up waste system



GRWM203 single lever wall mixer with telephonic shower arrangement only



GRDV202UUpper parts for single lever concealed diverter Compatible with GRDV202



RSTS202 Hand shower with 1.5 m flexible hose and turnable hook. 130 mm diameter 3 Flow: Normal, Massage and Normal + Massage



GRSP101Bath spout



GRSP102Bath spout with button arrangement



RSRF702 Gold square rainfall shower (ABS) 9 inches



RSSA715 15" Gold Rainfall Shower arm

ALLIED PRODUCTS



GRDV202 (Gold)Single lever concealed
Diverter Body



REHF701White gold health faucet



REAC701Round Angle cock -Gold



REAC702Square angle cock - gold







MAPC101 Pillar cock



MABM101 Single lever basin mixer without pop-up waste system



MASM401 Single lever sink mixer table mounted with swinging spout



MAWM204
Single lever wall mixer with provision for overhead shower arrangement with bend pipe and wall flange



MASP101NBathtub spout with wall flange



MASP101S Bathtub Spout with Wall Flange (New)



MADV202U Single lever concealed diverter upper parts Compatible with B2DV201 and B2DV202



MAACIOINAngle cock with wall flange





TWPC101 Pillar Cock



TWBM101 Single Lever Basin Mixer without pop up waste system



TWWM103
Wall mixer with provision for overhead shower arrangement with bend pipe and wall flange



TWWM104
Wall Mixer 3 in 1 with provision for telephonic shower & overhead shower arrangement with bend pipe and wall flange



TWSP102
Bathtub spout with button arrangement



TWDV202U Single lever concealed diverter upper high flow



TWAC101Angle cock with wall flange





SRBM101Single Lever Basin Mixer without pop up waste system



SRSM101Sink mixer wall mounted with swinging spout



SRWM103
Wall mixer with provision for overhead shower arrangement with bend pipe and wall flange



SRWM104
Wall mixer 3-in-1 with provision for telephonic shower and overhead shower arrangement with bend pipe and wall flange



SRSP102
Bath Spout with button arrangement



SRDV202USingle lever concealed diverter upper high flow



SRAC101Angle cock with wall flange





ELBM101Single Lever Basin Mixer without pop up waste system



ELWM103Wall mixer with provision for overhead shower arrangement with bend pipe and wall flange



ELDV202USingle lever concealed diverter upper high flow



ELSP102Bath spout with button arrangement



ELAC101Angle cock with wall flange





BABM101 / BABM102 Single lever basin mixer without / with pop-up waste system



BAWM104Wall mixer with provision for overhead shower arrangement with bend pipe and wall flange



BAWM104NWall mixer with provision for overhead shower with 160 mm long bend pipe & wall flange



BAWM106N
Wall mixer 3-in-1 with provision for telephonic shower & overhead shower with 160 mm long bend pipe and wall flange



BASM102NSink mixer with U-spout wall mounted with swinging spout



BADV202USingle Lever Concealed
Diverter Upper parts



BAAC101NAngle cock with wall flange






MYBM101 Single lever basin mixer without pop-up waste system



MYSM101 Sink mixer wall mounted with swinging spout



MYWM103N
Wall mixer with provision for overhead shower with bend pipe and wall flange



MYSP101
Bathtub spout with wall flange



MYDV111U
Single lever concealed diverter upper part - regular & high flow (push type) Compatible with B2DV201 & B2DV202



MYAC101Angle cock with wall flange





CLPC101 Pillar Cock



CLBM101Single lever basin mixer
without pop-up waste system



CLCH101 Center hole basin mixer



CLSM101
Sink mixer wall mounted with swinging spout



CLWM103
Wall mixer with provision for overhead shower with bend pipe and wall flange



CLBC102BIB cock 2-IN-1 with cartridge


COLOSSUS



CLSP101Bathtub spout with wall flange



CLDV111U
Single lever concealed diverter upper part - regular & high flow (push type) Compatible with B2DV201 & B2DV202



CLAC101Angle cock with wall flange







ALPC101 Pillar Cock



ALBM101 Single lever basin mixer without pop-up waste system



ALSM101 Sink mixer wall mounted with swinging spout



ALWM103
Wall mixer with provision for overhead shower with bend pipe and wall flange



ALWM103N
Wall mixer with provision for overhead shower with bend pipe and wall flange



ALBC101BIB Cock with wall flange



ALBC102BIB Cock 2-IN-1 with cartridge

ALTIUS



ALSP101Bathtub spout with wall flange



ALDV111U
Single lever concealed diverter upper part-regular and high flow (push type)
Compatible with B2DV201 & B2DV202



ALAC101Angle cock with wall flange







INBM101 Single Lever Basin Mixer without pop up waste system



INSC101 Sink cock wall mounted with swinging spout



INSM101 Sink mixer wall mounted with swinging spout



INDV111U Single lever concealed diverter upper part - regular and high flow (push type)



INWM103
Wall mixer with provision for overhead shower with bend pipe and wall flange



INWM104
Wall Mixer 3 in 1 with provision
for telephonic shower &
overhead shower with bend pipe



INBC101 BIB Cock with WF



INBC102 BIB Cock 2-in-1 with WF

INVICTUS



INSP101
Bathtub spout with wall flange



INSP102
Bathtub spout with button arrangement



INAC101 Angle cock with wall flange







SYBM101Single Lever Basin Mixer without pop up waste system



SYSC101 Sink cock wall mounted with swinging spout



SYSM101Sink mixer wall mounted with swinging spout




SYDV111U
Single lever concealed diverter
upper part - regular and high flow
(push type)



SYBC101BIB cock with wall flange

SPRY



SYSP101Bathtub spout with wall flange



SYSP102
Bathtub spout with button arrangment



SYAC101Angle cock with wall flange



PROTON





PT-01 Pillar cock



PT-21 Single lever basin mixer without pop-up waste system with 450 mm long flexible hose



PT-07 Central hole basin mixer without pop-up waste system with 450 mm long flexible hose



PT12Sink mixer wall mounted



PT13
Sink cock wall mounted



PT-10N
Wall mixer with bend pipe
provision for overhead shower
with cartridge

PROTON



PT03CBIB cock 2-in-1 with cartridge



PT04B Angular cock 2-in-1



PT-04AAngle cock with wall flange







DE-01Pillar Cock with Foam Flow



DE-07Central hole basin mixer without pop-up waste system with 450 mm long flexible hose



DE-07ACentral Hole Basin Mixer Without
Pop Up Waste System With
600 mm Flexible Hose



DE-11NWall Mixer 3 in 1 with provision for telephonic shower & overhead shower with 140 mm long bend pipe & wall flange



DE-12Sink mixer with swinging spout wall mounted



DE-13Sink cock with swinging spout wall mounted



DE-02Bib cock foam flow



DE-04AAngle cock with wall flange

PRIMUS





P-101 Pillar cock



P-118Centre hole basin mixer without pop-up waste



P-122Wall mixer with bend pipe provision for overhead shower



P-103Bib cock with wall flange



P-103ABIB cock 2-in-1 with wall flange



P-112Angle cock with wall flange



P-112AAngle cock 2-in-1 with wall flange





C-201Pillar cock with foam flow



C-211A
Central hole basin mixer without
pop-up waste system with
450 mm long flexible hose



C-216DWall mixer with provision for overhead shower with 140 mm long bend pipe & cartridge



C-220
Sink cock with swinging spout
wall mounted



C-219Sink mixer with swivel spout wall mounted



C-204Angular stop cock without flange
Also available with flange C204E

CROMA



C-203A BIB Cock 2-IN-1(Mohra System)



C-203GBIB Cock 2-IN-1 with Cartidge



C-209 Long body bib cock with wall flange and foam flow









RSRF702 Gold square rainfall shower (ABS) 9 inches





RSTS202 Hand shower with 1.5 m flexiblehose & turnable hook 130 mm diameter 3 Flow: Normal, Massage, Normal + Massage

RSRF301 Rainfall shower with customized arm Diffused spray flow 195 mm x 260 mm







flexible hose and hook Diffused spray flow 120 mm x 240 mm





SELF- CLEANING SHOWERS



BHRF101 Self-cleaning rainfall shower 9 inches




BHRF102 Self-cleaning rainfall shower 290 x 197 mm

RAINFALL SHOWERS



RF-205 8 inches rainfall shower round (SS)



RF-206 8 inches rainfall shower square (SS)

HEALTH FAUCETS



C-232N
Pura NXT health faucet
rub-it clean feature



C-232 Y
Pura Lite health faucet with
pipe & hook

SHOWER HEAD



OH202 4 inches overhead shower, 1 flow



OH110SOverhed shower 2 flow without arm

HAND SHOWERS



HS-2014 inches hand shower, 3 flow with 1.5 mtr flex tube and hook



HS-202 4 inches hand shower, 1 flow with 1.5 mtr flex tube and hook



HS-205
3.5 inches hand shower square with 1.5 mtr flex tube and hook



EA-16Hand shower, 1 flow with 1.5 mtr
flex tube and hook



RSTS103 Handshower with 1.5m flexible hose and turnable ook 2 function: Normal, Dancing Massage

SHOWER ARM



SA-101 Eco Lite 6.5" shower arm piped



SA-105
15" Rainfall Shower arm round chrome



SA-105N 15" Rainfall Shower arm round chrome



SA-106N 15" Rainfall Shower arm square chrome



SA-107N18 inches rainfall shower arm round chrome

CONCEALED BODIES





BETTER FLOW

Its use of European Technology cartridge results in better flow than its competitors.



SMART TIPTON MECHANISM

Smart tipton that works at pressures as low as 0.5 bar without any hassles.



SMOOTH & EASY MOVEMENT

Smooth cartridge mechanism enables easy handle movement.



AUTO-SWITCH

Automatic switch to spout mode when water is switched off - to avoid accidents.









B2DV202Single lever concealed diverter body - high flow (push type)

DESIGN ADAPTABILITY

The same diverter body can be used for more than 20 uppers of Bathsense.





ONE PIECE CLOSETS

MAXIMUS



OP-82-S / OP-92-S One piece closet S Trap - 300 mm 390x700x770 With Rimless Siphonic and 4D flushing

INVICTUS



OP-29-S One piece closet S Trap-300 mm 390x700x770 With Rimless and 4D flushing

PROTON



OP-55-S One piece closet S Trap- 300 mm 355x670x725 With Rimless Siphonic Flushing

ONE PIECE CLOSETS

INFINITE



OP-53-S One piece closet S Trap- 300 mm 355x670x725 With Rimless Siphonic flushing

TREND



OP-56-S One piece Model (12") S Trap - 300 mm 370x670x740 Square Design

COLOSSUS



OP-37-SOne piece closet
S Trap - 300 mm 340x670x730

ONE PIECE CLOSETS



OP-57-S One piece Model (12") STrap- 300 mm 673 X 365 X 738 Siphonic, Rimless Design with Slim Seat Cover



OP-58-S One piece Model (12") S Trap - 300 mm 670 X 365 X 745 Siphonic, Rimless Design with Slim Seat Cover



TABLE TOP BASINS

DEON



TT-22-X
Table top basin
460x360x135
Can also be used as wall mounted

ARTISAN



TT-32-X Table top basin 440x440x140 Thin rim designs

MYSTIC



TT-43-X Table top basin 490x490x110 Thin rim designs



WALL HUNG BASINS



Timeless
WM-21-X
Wall hung basin
575x430x200
Compatible with half pedestal



Contemporary WM-27-X Wall Hung Basin 475x375x185



Contemporary
WM-28-X
Wall hung basin
525x435x225
Compatible with full pedestal FP-28-X



Proton WM-31-X YD wall hung B 31 W



WM-29-XWall Hung Basin
460 - 580 - 825
Compatible with full pedestal FP-29-X



Serene
FP-23-X
Full pedestal
190x180x705
Compatible with WM-21-X,
WM-23-X & WM-25-X,



Contemporary
FP-28-X
Full pedestal
175x180x710
Compatible with WM-28-X



FP-29-XFull Pedestal
Compatible with WM-29-X

ACCESSORIES



C-231KBottle trap lite set with 5 inches and 7 inches pipe



C-230Waste coupling 32 mm half threaded



C-230AWaste coupling 32 mm
full threaded



C-230B 3" Waste coupling heavy full threaded



C-230D 3" Waste coupling heavy half threaded



C-230I Waste coupling 1.25 full threaded(new)



C-230J Waste coupling 1.25 half threaded (new)



EN10 Size: 1" Pieces per box: 30 Wgt: 40 gms



EN15 Size: 1.5" Pieces per box: 20 Wgt: 60 gms



EN20 Size: 2" Pieces per box: 10 Wgt: 80 gms




EN25 Size: 2.5" Pieces per box: 10 Wgt: 100 gms



Asian paints assure

The unmatched after-sales service, customer care and free spares replacement service that comes with the purchase of any Asian Paints Bathsense product.



Best-in-class diverters

The 40 mm high flow diverter gives the best-in-class flow, as tested and certified by the IAPMO. These diverters are sleeker and easier in operation than other high-flow diverters in the market.



Superior components and brass

Highest quality international cartridges for a flawless performance. High-grade brass for superior performance and durability.

HANDS-FREE PRODUCTS



Innovative Technology

Infrared sensors with a sensing distance of up to 6 inches that turn on and off with just a wave of your hand.



Sleek Design

Beautifully designed faucets and closets that blend in with the aesthetics of the bathroom.



Low Voltage Alram

In built alarm to indicate when the batteries need to be charged. Comes with a battery life of up to 60,000 cycles.




Auto Cut Off

If water flow is on for 60 seconds continuously, the faucet automatically shuts off the flow.



Saves Water

Through its innovater sensor technology, it conserves more water than ordinary taps.



Anti Interference

No interfrence if multiple sets working at same time/other electrical applicances.



Dual Sensors

Enabled with side and bottom sensor



Lavish bathroom experiences, built with truly unique designs.



Gold Rush Helical handle with twisting body.



ManhattanInspire by the skyline of New York.



BalenaPlayful whale
shaped design.

Unique curved designs, built for maximum functionality.



DeonBrings to you design innovations, powered by flawless Functionality



Primus
Equipped with a flat and modern
handle for sleek design and
economical value.



ProtonAmazing design that comes with excellent performance.

Unique curved designs, built for maximum functionality.



Tabletop basins, crafted with aesthetics suited to refined tastes.



Auto cleans when flow is switched off/ flow is changed in multi-flow shower.



Water closets, equipped with revolutionary flushing techniques that require just one flush.

Unique flow, with the advantage of stunning designs.



Overhead 3-in-1 function shower flow (Normal, Turbo, Massage).



Showers with mist flow.



Halo showers
Winner of the
Red Dot Award in Design.






Two-Step Cartridges

Some faucets are equipped with twostep cartridges, which help save water by providing an option for usage at lower water flow levels.



Seamless Extended Products

Even tall products have seamless bodies as compared to fused bodies, giving a premium look and finish.



3/4 th inch spindles are used in Bathsense products

Spindles are 26 mm in diameter compared to the industry standard of 20 mm. This ensures abundant flow, even at lower pressures.



Unique aerators

Tiltable aerator in basin products, to control the direction of flow.



Better plating

Gold plating done using PVD technology for high durability. All products have higher chrome plating thickness for better finish and increased life of plating.



Bathsense self-cleaning showers

Autoclean themselves when the water is switched off. Solve the problems of blocked nozzles, especially in areas with hard water.





Sanitary ware that always stays clean

Anti-bacterial glaze ensures hygiene and rimless water closets and basins making cleaning effortless.



Flushing techniques that ensure that once is enough

Innovative flushing techniques like 4D flushing, siphonic flushing and tornado flushing.




Strong and silent seat covers


Feather-close durable seat covers in all closets that give customers a noise-free experience, and quality that is truly long-lasting.

WATER SAVING PRODUCTS










The unique flow restrictors adjust the flow in both low and high water pressure conditions and also provide the advantage of smooth, constant flow at all times. Products with these German-made restrictors can be provided based on the specific flow requirements.



Some faucets are equipped with two-step cartridges which help save water by providing resistance at the mid-point of the range of handle movement.






The Asian Paints Bath Division has acquired 'Water Efficient Products-India' (WEP-I) and 'Green' certification for 69 products from IAPMO (The International Association of Plumbing and Mechanical Officials). The products have been awarded the highest possible '3star' rating qualifying these to be supplied to IGBC Platinum rated buildings.



BACKED BY THE SERVICE PROMISE OF ASIAN PAINTS . CREATING VALUE THROUGHOUT THE LIFE OF THE PRODUCT.



Unmatched warranty of 10 years to 12 years.



A benchmarked time for complaint closure within 48 working hours.




Zero cost of servicing & replacement for parts covered under warranty.



Paperless warranty through warranty registration.





CERTIFICATIONS



To validate the standards we maintain, the Asian Paints Bath Division's After-sales service is certified by ISO 9001:2015.



It is also a certified member of the Indian Green Buildings Council - a community of entities in the construction industry with a commitment towards maximum water conservation through the manufacturing of water-saving products.



The Asian Paints Bath Division has acquired 'Water Efficient Products-India' (WEP-I) and 'Green' certification for 69 products from IAPMO (The International Association of Plumbing & Mechanical Officials). The products have been awarded the highest possible '3 star' rating, qualifying them to be supplied to IGBC Platinum rated buildings.

Installation Guidelines

During Installation

- Use a 25 mm pipeline instead of 20 mm for optimal water flow. As far as possible, lay the pipelines straight and vertical.
- Keep the number of bends in the pipelines to a minimum to maintain adequate water pressure. All supply lines must have vent pipes, which prevent vaccum formation and ensure that water flows smoothly.
- Maintain a centre-to-centre distance of 165 mm for both Hot and Cold inlets on all wall-mounted fixtures. This ensures a fuss-free, easy installation of the wall mixers.
- Place the outlet point in the overhead tank at least 2.5 cm above the ground level of the tank. This prevents the flow of foreign particles, sand, etc., into the water supply and the fittings, and prevents possible damage to working parts.

Post Installation

- Cover the tap polypacks before or after their installation until they are ready for actual use to protect the fine finish from dirt, stains and other damage.
- Do not use harsh cleaning agents containing abrasives and acids Instead, use a soft sponge or wet cloth with soapy water/diluted vinegar to protect the colour finish.
- Clean the aerators at regular intervals for a perfect flow of water from the fittings. To clean the aerator, remove it, knock out the silver insert and rinse thoroughly with water.
- Clean the overhead tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular intervals to avoid deposition of foreign particles. To prevent any foreign material from passing through the tap, use a mesh or jali.



















Maintenance Guide

Do's

- Clean the fitting with just a little soap or mild detergent (such as dish washing soap) and a soft dampened sponge or cloth. Then simply rinse off and wipe dry. You can prevent lime scale by drying the fitting after each use.
- Always test your cleaning solution on an inconspicuous area on the product before applying on the entire surface.
- The ideal cleaning technique is to always blot dry any water from metal surfaces. Allowing water to evaporate on metal will form water deposits.
- It is important to use a dabbing action to dry metal, not an abrasive or rubbing action. Cleaning with a damp sponge and buff drying should keep your faucet looking beautiful and spotless.

Don'ts

- Cover the tap polypacks before or after their installation until they are ready for actual use to protect the fine finish from dirt, stains and other damage.
- Do not use harsh cleaning agents containing abrasives and acids Instead, use a soft sponge or wet cloth with soapy water/diluted vinegar to protect the colour finish.
- Clean the aerators at regular intervals for a perfect flow of water from the fittings. To clean the aerator, remove it, knock out the silver insert and rinse thoroughly with water.
- Clean the overhead tank thoroughly before the supply starts. It is suggested that the overhead tank must be cleaned at regular intervals to avoid deposition of foreign particles. To prevent any foreign material from passing through the tap, use a mesh or jali.





Notes



Notes



Notes



ဝ်ဝ asianpaints

Asian Paints Nepal Balkumari-08, Lalitpur, Nepal

01-5203045, 01-5203046, 01-5203047 01-5203048, 01-5203049





CONTACT ON 9860033724 9802033515

Toll-Free Number: 16600-124-680 (For NTC Users)

